



ievo USB Registration Units

ievo desktop registration units are a fast, accurate and simple way of managing the fingerprint enrolment process.

Using a USB connection the units plug directly in to a PC and combines simple registration steps with an easy to use interface to effectively control enrolment.

Designed as a supporting component to work in parallel with **ievo** fingerprint readers*, the registration units takes away the need to enrol users via an active, or in use, product – essential in situations with a high volume of system users.

FEATURES:

- High Quality & Reliability
- USB powered - no additional power supply required
- Time saving
- Durable high performance use
- Timing placement to image 1.0 Seconds (Typical)
- 500 dpi image resolution
- Requires minimal maintenance
- Ergonomically designed
- Aids training and reduces registration time


KEY BENEFITS:

Using the **ievo** USB registration units provides a simple and effective method of enrolling user fingerprints, saving vital time and resources along with providing consistency in operation. The non-intrusive ergonomic design is utilised for desktop/workspace use, with both units connecting via USB to allow for efficient use in controlling the enrolment process.

The 'ultimate registration unit' is ideal for installations using **ievo ultimate** reader heads or a mixture of both *ultimate* and **ievo micro** reader heads. The 'micro registration unit' is designed for use with installations of **ievo micro** reader heads only.

At **ievo** we believe that integration is very important and as such offer an easy to use registration software package that can work as a standalone registration process or can be integrated into a host of existing registration software packages, please contact us for a full breakdown of integrated software packages.

Example - mixed unit installation set up



SPECIFICATIONS:

	ievo ultimate registration unit	ievo micro registration unit
Image Resolution	500 dpi	500 dpi
Dimensions	H: 66mm W: 69mm D: 99mm	H: 171mm W: 64mm D: 121mm
Cable length	2m	2m
Interfaces	USB 2.0	USB 1.1 or 2.0
Housing	PC/ABS mix	PC/ABS mix
Sensor type	Multispectral Imaging (MSI)	Enhanced Optical

For more information contact us: info@ievoreader.com



+44 (0)191 296 3623
or 0845 643 6632